



Metoclopramide for Avoiding Pneumonia after Stroke:

MAPS-2

Recruitment Update:



🔆 13 Participants recruited! 🖕



Recent Activations:

- + Prince Philip Hospital & Bronglais Hospital Hywel Dda University Health Board
- + Aberdeen Royal Infirmary NHS Grampian
- + Sunderland Royal Hospital South Tyneside and Sunderland NHS Foundation Trust
- + West Suffolk Hospital West Suffolk NHS Foundation Trust
- + Morriston Hospital Swansea Bay University Health Board
- + University Hospital of North Durham County Durham and Darlington NHS Foundation Trust
- + Glangwili General Hospital Hywel Dda University Health Board
- + Royal London Hospital Barts NHS Trust
- + Royal Devon & Exeter Hospital Royal Devon University Healthcare NHS Foundation Trust

Delegation Log & New Staff:

Don't forget to inform us when you have new members of staff at your site! When they have been trained on the trial by the PI, please send us the signed logs so we can get their database accesses created!

Struggling to activate your REDCap database accounts, or struggling to get yourself added to the delegation log? Get in touch!

MAPS-2@nottingham.ac.uk

Amendments:

Approved amendments:

MA/01/21 - Approved 01/12/2021 MA/02/22 - Approved 11/02/2021 *NEW* MA/03/22 - Approved 03/05/2022





FAQs:

Are we excluding COVID-19 positive patients?

No, unless they have pneumonia during the screening period.

Who can consent patients in MAPS-2?

Both medics and non-medics may take consent. Consenting investigators must explain the trial to patients, elaborate on the risks and potential benefits and be able to answer any trial-specific questions. <u>However, eligibility must be completed and signed off by</u> <u>a medic.</u>

Do investigators need to be GCP-trained to prescribe the medication?

Yes. BUT non-GCP-trained investigators (i.e. ward nurses) can administer the treatment.

Why is there a cost for uploading radiological images in the contract, uploading images is not mandatory?

The cost remains in the contract just in case any images are required to review any relevant SAEs or SUSARS, if requested.

Can the treatment be given as an oral tablet, instead of via NG tube or slow IV injection?

No - all treatment must be given via IV or NG route.

Can oral liquid metoclopramide be used down the NG tube?

No - it must be the IV prep due to different consistency. Oral liquid is syrupy and would be easily identifiable to the patient, therefore almost impossible to keep treatment blinded. IV prep delivered via NG route has been approved by the MHRA in this study.

How far back in medical history is gastric bleeding an exclusion?

Acute gastric bleeding within past 2 weeks.

When is accrual acknowledged?

At point of consent, <u>not</u> randomisation.

Further Questions? Give us a call! 0115 823 1665