



Pharyngeal Electrical stimulation for Acute Stroke dysphagia Trial PhEAST

*Summer is here...
...May the recruitment continue!*



Recruitment Update



8 patients were recruited in June!

We are delighted to welcome Maidstone Hospital to the PhEAST trial!



Pharyngeal Electrical stimulation for Acute Stroke dysphagia Trial

PhEAST

Investigator Meeting



**Join us for our next PhEAST
Investigator Meeting!**



**Tuesday
16th July
12.30 - 13.30**

Recent FAQs

Q: *Is the PES catheter MRI and defibrillator compatible?*

A: No - the PES catheter should be removed prior to any MRI scans or defibrillation attempts.

Q: *Do the new aphasia-friendly resources supersede the existing aphasia-friendly consent form/PIS?*

A: No. These aphasia-friendly documents are solely to support with delivering the PES, and not intended to act as consent forms in their own right. Please still use the Aphasia Friendly PIS and ICF V2.0 20220809 (*Eng*), or Aphasia Friendly PIS and ICF V2.0 20221027 (*Scot*), for aphasic patients.

Q: *Is co-enrolment permitted?*

A: Co-enrolment with certain trials is allowed. A signed, written agreement between both trial sponsors and chief investigators is required before co-enrolment is permitted. Currently, co-enrolment is only permitted for the MAPS-2, RECAST-3 and TICH-3 clinical trials, and we hope to expand on this.

Q: *Is PhEAST registered for the Associate PI Scheme?*

A: Yes. Please contact us for more information.